

PVC-Free Faux Leather



**enviro**leather<sup>™</sup>  
by LDI Interiors

# California




Flagstone 940



Misty Gray 939




Cattail 968



Pear 922




Olive 924



Bermuda 945




Calico 909




White 970



Mushroom 946



Warm Gray 918



Silver Lake 953



Cross Grove 999



Dragonfruit 993



Dovetail 925



Tiki 916



Wine 959



Pewter 942



Storm 960



Grapevine 956



Camel 941



Mojave 954



Toasted Almond 929




Adobe 932



Desert 931




Smokewood 937



Bark 938



Mammoth 957




Juniper 952



Cornflower 990




Lagoon 947




Navy 936


# Montana



Tribal Teal 738



Moccasin Tail 709




Ranchwood 736



Chocolate Moose 750



Rocky Mt. 707



Blue Heron 740




Gray Slate 737




Grizzly Gray 752



Mt. Indigo 741



Quarry Rock 739




Charcoal 704



Midnight 701


# Berkshire




Limestone 107



Coquina 105



Pumice 104




Soapstone 108



Basalt 109




Alabaster 102



Claystone 103



Shale 106




Granite 101

# Ink-Gard<sup>⊕</sup>™



Thistle 614



Haze 608




Harvest 607



Stone 619



Saddle 616



Dove Gray 621




Sterling 613



Endless Sea 618



Slate 611

54" Pattern	Fiber Content	Weight	Cleaning Code	Flammability	Abrasion Resistance	Lightfastness	Crocking	Breaking Strength
BERKSHIRE	55% TPE, 35% Polyester, 10% Cotton	15 oz / Lin. Yd.	WS - Water and Solvents	Passes	Exceeds 200,000 D.R.	Class 5	Dry - Class 5, Wet - Class 5	Warp - 145 lbs. Fill - 110 lbs.
CALIFORNIA	55% TPE, 35% Polyester, 10% Cotton	15 oz / Lin. Yd.	WS - Water and Solvents	Passes	Exceeds 500,000 D.R.	Class 5	Dry - Class 5, Wet - Class 5	Warp - 140 lbs. Fill - 90 lbs.
INK-GARD  ™	55% TPE, 35% Polyester, 10% Cotton	15 oz / Lin. Yd.	WS - Water and Solvents	Passes	Exceeds 500,000 D.R.	Class 5	Dry - Class 5, Wet - Class 5	Warp - 150 lbs. Fill - 90 lbs.
MONTANA	55% TPE, 35% Polyester, 10% Cotton	15 oz / Lin. Yd.	WS - Water and Solvents	Passes	Exceeds 500,000 D.R.	Class 5	Dry - Class 5, Wet - Class 5	Warp - 157 lbs. Fill - 113 lbs.

## Disinfecting / Cleaning Information

EnviroLeather™ utilizes a high tech polymer that results in excellent chemical resistance and cleanability. The product is inherently more stain resistant than vinyl. Most stains can be removed using soap and water. For disinfecting we recommend a 20% bleach solution. Please see our cleaning instructions for more information.

### The following disinfectants can be used on all faux leathers shown on this card


Cavi Wipes  
Cavicide  
Johnson Diversey Virex® TB  
Virox®  
1:5 solution of diluted household bleach

For a complete list of approved cleaners visit our website at [www.enviroleather.com](http://www.enviroleather.com)

### CAL TB 117-2013-Passes

### Hydrolytic Stability Test: ISO 1419 Method C.

After 5 weeks in environmental chamber at 70° C and 95% RH, passes with no cracking, peeling or delamination. Also, after 3 weeks at 70° C and 95% RH, passes #10 Cotton Duck Abrasion (ASTM D 4157) 30,000 D. R., Resistance to flexing (ASTM D 2097-03) 15,000 cycles and peel adhesion - No loss.

EnviroLeather's™ California, Ink-Gard™ and Berkshire Collections are inherently antimicrobial when cleaned properly because they do not contain plasticizers or other additives that act as a "food source" for microbes. Although it shouldn't be necessary, the Montana Collection utilizes an additional antibacterial and antifungal system for customers looking for extra protection against surface odor or stains caused by bacterial or microbial growth.

## EnviroLeather™ Features

### Environmental Benefits

- ◆ PVC-Free and includes recycled and renewable content
- ◆ Breathable for superior comfort, but remains impervious to fluids
- ◆ Passes stringent CAL 01350 VOC emission test
- ◆ Bromine-free, no halogenated flame retardants
- ◆ Plasticizer-free, no phthalates
- ◆ No heavy metals
- ◆ Animal friendly

### Durability and Performance

- ◆ Outstanding abrasion resistance and durability
- ◆ Superior chemical resistance
- ◆ Designed for comfort, ventilation structure absorbs heat and moisture from your body
- ◆ Remains impervious to fluids
- ◆ Superior seam, puncture and tear strength
- ◆ Stain resistant, cleanable
- ◆ Balanced stretch, excellent recovery
- ◆ Resists wrinkling, "puddling", and sagging in field use
- ◆ Makes tight seams and holds its shape for a tight, tailored look

Knú, LLC  
DBA/La-Z-Boy® Healthcare  
DBA/Knú Comfort™  
P.O. Box 9  
Ferdinand, IN 47532  
Tel: 812.367.2068  
Fax: 812.367.2493  
[www.lzbccontract.com](http://www.lzbccontract.com)  
[www.getknu.com](http://www.getknu.com)

**enviroleather™**  
by LDI Interiors

**LDI Corporation** 3560 Lafayette Road, Bldg. 2, Suite C, Portsmouth, NH 03801  
Toll Free (866) 332-0700 Fax (603) 436-1777 [www.lidiinteriors.com](http://www.lidiinteriors.com)