

# EXAM LIFT SERIES




## Series Overview

The Exam Lift Series is engineered with threefold functionality as a recliner, exam surface, and sleep space (with true flatbed position). Exam Lift Series recliners raise to a 36" exam height in all positions, while providing trusted comfort, performance, and durability. For enhanced safety, a central locking caster system is standard on all models to secure the chair when the user is elevated, and a locking leg support mechanism prevents the footrest from lowering unintentionally.

## General Product Information

- 650 lb Static / 500 lb Dynamic Weight Rating
- Designed for 24/7 use healthcare environments
- Raises to exam height via non-handed power foot pedal
- Manually operated recline functionality
- Footrest and back move in harmony when engaged
- Quick removable back & lift up seat for ease of cleaning
- Standard with Chaise Continuous Leg Support and Trendelenburg features
- Standard with Orthopedic Locking Footrest
- Sinuous spring seat and back
- Seat clean-out
- Mid-Ottoman Calf Support
- Infinite Position Back reclines to infinite angle positions
- All interior plywood California Carb Compliant/Phase II
- Field replaceable components



### Infinite Position Locking Back

Allows patient/caregiver to lock back into any position. Lock lever located inside left (facing) arm on applicable models, unless otherwise noted/pictured.

## To Order, Specify

- Model Number
- Textile
- Finish
- Options

## Options vary by model, see specific model page for list of available options



Refer to pg 99 for full option details and images



# EXAM LIFT SERIES

# Exam Lift Healthcare Recliner | Patient Transfer

## Select Aesthetic Style (Denotes back & arm design)




Single Fold Down Arm  
(Koncert style pictured)

## Functional Style (Aesthetic style code precedes selected model number below, e.g., KC7X67)

### C7X67 Exam Lift Recliner - Infinite Position Locking Back - Single Fold Down Arm

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
14079	14289	14529	14739	14949	15159	15369	15629	16109	16579	17109

## Standard Features



Chaise Continuous Leg Support

Raise to Exam Height via Non-Handed Foot Pedals

3" Dual Wheel Central Locking Caster System

**NOTE:** Transfer arm standard on right side (facing). If specified on left side, handle will be placed on right side and vice versa.

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RC7X67   KC7X67	34.5	38	48	24	21	23	26	28	40	73	20
KMC7X67	34.5	38	48	24	21	23	26	28	40	73	20

### General Info

COM: 7 yds  
 Static Wt Cap: 650 lb  
 Dynamic Wt Cap: 500 lb  
 Unit Weight: 263 lb

## Available Options

ARM CAP OPTIONS		See pg 2 for finishes	PATIENT WELLNESS & COMFORT OPTIONS	
U	Urethane	Standard	ABP	Adjustable Back Pad
J1	Solid Surface - Group 1	619		Textile Grades COM-B 459
J2	Solid Surface - Group 2	819		Textile Grades C-I 569
<b>CASTER OPTIONS</b>			AHP	Adjustable Head Rest Pillow 339
Z-Q3	3" - Dual Wheel Central Locking Casters	Standard	DP	Dual IV Poles & Brackets <sup>1</sup> 498
Z-Q4	4" - Central Locking System	No Charge	FBH	Foley Bag Holder 89
	<i>Increases seat height by 1".</i>		IV	IV Pole & Bracket <sup>1</sup> 249
Z-Q5	5" - Central Locking System	119	LC	LiquiCell 229
	<i>Increases seat height by 2".</i>		LCKFR	Orthopedic Locking Footrest Standard
<b>HEAT/MESSAGE OPTIONS (IEC 60601-1 CERTIFIED)</b>			MBB	Moisture Barrier (Back) 59
	<i>Wand Controls</i>		MBS	Moisture Barrier (Seat) 59
HW	Heat	1139	MR	Monitor Arm (right side facing) <sup>1,2</sup> 849
HMW	Heat & Massage	1369	MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup> 949
	<i>In-Arm Controls</i>		PR1	Paper Roll Holder <sup>3</sup> 229
H	Heat	849	TE	Trendelenburg Standard
HM	Heat & Massage	1119	USB	USB Power Outlet (IEC 60601-1 Certified) 459
<b>ADDITIONAL FEATURES &amp; OPTIONS</b>			WR	Wrist Restraint Mounts (pair) 229
BBU	Battery Back Up	649	<b>TRAY TABLE OPTIONS</b>	
PB	Push Bar	Standard	TSL1	Adjustable (Left) Side Tray, on Stationary Arm <sup>1,5</sup> 399
EG	Protective Edge Guard	Standard	TSR167	Adjustable (Right) Side Tray, on Fold Down Arm <sup>1,5</sup> 449
QR	Additional Quick Release Accessory Bracket	69	<b>FOLD DOWN TRANSFER ARM SPECIFIC</b>	
CAL	CAL TB133	See pg 9	HC	Hinge Cover Standard
Z	Multi Cover	Use Pricing for Highest Grade	*Refer to pg 99 for full option details and images*	

<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

<sup>3</sup>Takes place of Push Bar. Paper sold separately.

<sup>4</sup>Contact customer service for solid surface pricing



<sup>5</sup>Over the lap tray function recommended in seated position.



# EXAM LIFT SERIES

# Exam Lift Healthcare Recliner | Patient Transfer

## Select Aesthetic Style (Denotes back & arm design)




Dual Fold Down Arms  
(Koncert style pictured)

## Functional Style (Aesthetic style code precedes selected model number below, e.g., KC7X67)


### C7X62 Exam Lift Recliner - Infinite Position Locking Back - Dual Fold Down Arms

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
14469	14739	14899	15099	15319	15529	15789	16129	16579	17109	17629


## Standard Features




Chaise Continuous Leg Support



Raise to Exam Height via Non-Handed Foot Pedals



3" Dual Wheel Central Locking Caster System



Locking Back Lever  
(located on outside arm on applicable models)

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RC7X62   KC7X62	34.5	38	48	24	21	23	26	28	40	73	20
KMC7X62	34.5	38	48	24	21	23	26	28	40	73	20

### General Info

COM: 7 yds  
 Static Wt Cap: 650 lb  
 Dynamic Wt Cap: 500 lb  
 Unit Weight: 263 lb

## Available Options

### ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	Standard
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819

### CASTER OPTIONS

Z-Q3	3" - Dual Wheel Central Locking Casters	Standard
Z-Q4	4" - Central Locking System <i>Increases seat height by 1".</i>	No Charge
Z-Q5	5" - Central Locking System <i>Increases seat height by 2".</i>	119

### HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)

<i>Wand Controls</i>		
HW	Heat	1139
HMW	Heat & Massage	1369

### ADDITIONAL FEATURES & OPTIONS

BBU	Battery Back Up	649
PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

### PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad	459
	Textile Grades COM-B	569
	Textile Grades C-I	339
AHP	Adjustable Head Rest Pillow	498
DP	Dual IV Poles & Brackets <sup>1</sup>	89
FBH	Foley Bag Holder	249
IV	IV Pole & Bracket <sup>1</sup>	229
LC	LiquiCell	Standard
LCKFR	Orthopedic Locking Footrest	59
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	849
MR	Monitor Arm (right side facing) <sup>1,2</sup>	949
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	229
PR1	Paper Roll Holder <sup>3</sup>	Standard
TE	Trendelenburg	459
USB	USB Power Outlet (IEC 60601-1 Certified)	229
WR	Wrist Restraint Mounts (pair)	Standard

### TRAY TABLE OPTIONS

TD362	Dual Adjustable Side Trays, on Fold Down Arms <sup>1,5</sup>	898
TSR167	Adjustable (Right) Side Tray, on Fold Down Arm <sup>1,5</sup>	449
TSL167	Adjustable (Left) Side Tray, on Fold Down Arm <sup>1,5</sup>	449

### FOLD DOWN TRANSFER ARM SPECIFIC

HC	Hinge Cover	Standard
----	-------------	----------

*\*Refer to pg 99 for full option details and images\**

<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

<sup>3</sup>Takes place of Push Bar. Paper sold separately.

<sup>4</sup>Contact customer service for solid surface pricing

<sup>5</sup>Over the lap tray function recommended in seated position.