



## Rêma | Hydraulic Lift Treatment Recliner - 24" Seat - 650 lb. Weight Rating



R7H18  
39" Overall Width



### DIMENSIONS | R7H18 | RC7H18

Width	39	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	47	Seat Height	21.5	Weight	259
COM (Standard)	6 YDS	COM (Chaise)	7 YDS	Weight Capacity	650 lbs.
Reclined Depth	73	Seat Depth (kick-out)	40	Lift Weight Capacity	400 lbs.
Distance from Wall	19				

### R7H18 MANUAL HYDRAULIC LIFT TREATMENT RECLINER - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
7209	7309	7459	7589	7809	7999	8269	8549	9079

### RC7H18 MANUAL HYDRAULIC LIFT TREATMENT RECLINER WITH CHAISE - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
7359	7519	7589	7719	7859	8139	8389	8809	9269

\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

Options	List Price	Options	List Price
F Fully Upholstered Arms	Standard	CAL CAL TB133	See page 12
U Urethane Arm Caps*	\$149	MBB Moisture Barrier Bariatric Back	\$50
W Wood Arm Caps*	\$199	MBS Moisture Barrier Bariatric Seat	\$50
J Solid Surface Arm Caps*	\$499	AHP Adjustable Head Rest Pillow	\$299
Z Multi Cover	Use Highest Grade	(Requires 1 yd of fabric)	
H Heat (Certified to UL 60601-1)	\$679	FBH Foley Bag Holder	\$79
HM Heat & Massage (Certified to UL 60601-1)	\$899	IV IV Pole and Bracket	\$219
HW Heat Wand (Certified to UL 60601-1)	\$999	DP Dual IV Poles	\$439
HMW Heat & Massage Wand	\$1199	QR Quick Release Bracket	\$59
(Certified to UL 60601-1)		USB Hospital Grade Power	\$399
EG Edge Guard	Standard	Q4 4" Central Caster Lock & Steer	\$299
		Q5 5" Central Caster Lock & Steer	\$399


\*Please refer to page 14 for finishes.

Please refer to pages 160/161 for Options descriptions & images.

Please refer to page 158 for the recliner ordering guide.



# Rêma | Hydraulic Lift Patient Transfer Treatment Recliner - 24" Seat - 650 lb Weight Rating



R7H67  
39" Overall Width

## DIMENSIONS | R7H67 | RC7H67


Width	39	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	47	Seat Height	21.5	Weight	259
COM (Standard)	7 YDS	COM (Chaise)	8 YDS	Weight Capacity	650 lbs.
Reclined Depth	73	Seat Depth (kick-out)	40	Lift Weight Capacity	400 lbs.
Distance from Wall	19				

## R7H67 MANUAL HYDRAULIC LIFT TREATMENT RECLINER - FOLD DOWN ARM (RIGHT FACING) - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
7719	7859	7929	7999	8269	8539	8669	8949	9479

## RC7H67 MANUAL HYDRAULIC LIFT TREATMENT RECLINER WITH CHAISE - FOLD DOWN ARM (RIGHT FACING) - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
7859	7999	8089	8139	8399	8669	8949	9219	9749



\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

Options	List Price	Options	List Price
U Urethane Arm Caps*	Standard	CAL CAL TB133	See page 12
W Wood Arm Caps*	\$199	MBB Moisture Barrier Bariatric Back	\$50
J Solid Surface Arm Caps*	\$499	MBS Moisture Barrier Bariatric Seat	\$50
Z Multi Cover	Use Highest Grade	AHP Adjustable Head Rest Pillow (Requires 1 yd of fabric)	\$299
H Heat (Certified to UL 60601-1)	\$679	FBH Foley Bag Holder	\$79
HM Heat & Massage (Certified to UL 60601-1)	\$899	IV IV Pole and Bracket	\$219
HW Heat Wand (Certified to UL 60601-1)	\$999	DP Dual IV Poles	\$439
HMW Heat & Massage Wand (Certified to UL 60601-1)	\$1199	QR Quick Release Bracket	\$59
EG Edge Guard	Standard	USB Hospital Grade Power	\$399
HC Hinge Cover	Standard	Q4 4" Central Caster Lock & Steer	\$299
		Q5 5" Central Caster Lock & Steer	\$399

\*Please refer to page 14 for finishes.


Please refer to pages 160/161 for Options descriptions & images.

Please refer to page 158 for the recliner ordering guide.




# Rêma | Hydraulic Lift Patient Transfer Treatment Recliner - 24" Seat - 650 lb Weight Rating

LIFT RECLINER SERIES



R7H62  
39" Overall Width



## DIMENSIONS | R7H62 | RC7H62

Width	39	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	47	Seat Height	21.5	Weight	259
COM	7 YDS	Seat Depth (kick-out)	40	Weight Capacity	650 lbs.
Reclined Depth	73	Distance from Wall	19	Lift Weight Capacity	400 lbs.

## R7H62 MANUAL HYDRAULIC LIFT TREATMENT RECLINER - DUAL FOLD DOWN ARMS - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
8139	8389	8539	8669	8889	9079	9349	9629	10039

## RC7H62 MANUAL HYDRAULIC LIFT TREATMENT RECLINER WITH CHAISE - DUAL FOLD DOWN ARMS - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
8269	8529	8669	8809	9019	9219	9479	9759	10179

\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

VERTICAL LIFT EXAM RECLINER

Options		List Price	Options		List Price
U	Urethane Arm Caps*	Standard	CAL	CAL TB133	See page 12
W	Wood Arm Caps*	\$199	MBB	Moisture Barrier Bariatric Back	\$50
J	Solid Surface Arm Caps*	\$499	MBS	Moisture Barrier Bariatric Seat	\$50
Z	Multi Cover	Use Highest Grade	AHP	Adjustable Head Rest Pillow (Requires 1 yd of fabric)	\$299
HW	Heat Wand (Certified to UL 60601-1)	\$999	FBH	Foley Bag Holder	\$79
HMW	Heat & Massage Wand (Certified to UL 60601-1)	\$1199	DP	Dual IV Poles	\$439
EG	Edge Guard	Standard	QR	Quick Release Bracket	\$59
HC	Hinge Cover	Standard	Q4	4" Central Caster Lock & Steer	\$299
USB	Hospital Grade Power	\$399	Q5	5" Central Caster Lock & Steer	\$399


\*Please refer to page 14 for finishes.

Please refer to pages 160/161 for Options descriptions & images.


Please refer to page 158 for the recliner ordering guide.



## Rêma | Power Lift Treatment Recliner - 24" Seat - 650 lb. Weight Rating



R7P18  
39" Overall Width



### DIMENSIONS | R7P18 | RC7P18

Width	35.5	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	48	Seat Height	22.5	Weight	262.2 lbs.
COM (Standard)	6 YDS	COM ( Chaise)	7 YDS	Weight Capacity	650 lbs.
Reclined Depth	76	Seat Depth (kick-out)	40	Lift Weight Capacity	400 lbs.
Distance from Wall	20				

### R7P18 MANUAL POWER LIFT TREATMENT RECLINER - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
8519	8589	8689	8839	9009	9239	9439	9689	10,169

### RC7P18 MANUAL POWER LIFT TREATMENT RECLINER WITH CHAISE - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
8679	8749	8849	8999	9169	9399	9599	9849	10,329

\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

Options	List Price	Options	List Price
F Fully Upholsterd Arms	Standard	CAL CAL TB133	See page 12
U Urethane Arm Caps*	\$149	MBB Moisture Barrier Bariatric Back	\$50
W Wood Arm Caps*	\$199	MBS Moisture Barrier Bariatric Seat	\$50
J Solid Surface Arm Caps*	\$499	AHP Adjustable Head Rest Pillow	\$299
Z Multi Cover	Use Highest Grade	(Requires 1 yd of fabric)	
H Heat (Certified to UL 60601-1)	\$679	FBH Foley Bag Holder	\$79
HM Heat & Massage (Certified to UL 60601-1)	\$899	IV IV Pole and Bracket	\$219
HW Heat Wand (Certified to UL 60601-1)	\$999	DP Dual IV Poles	\$439
HMW Heat & Massage Wand	\$1199	QR Quick Release Bracket	\$59
(Certified to UL 60601-1)		USB Hospital Grade Power	\$399
EG Edge Guard	Standard	Q4 4" Central Caster Lock & Steer	\$299
		Q5 5" Central Caster Lock & Steer	\$399


\*Please refer to page 14 for finishes.

Please refer to pages 160/161 for Options descriptions & images.

Please refer to page 158 for the recliner ordering guide.



# Rêma | Power Lift Patient Transfer Treatment Recliner - 24" Seat - 650 lb Weight Rating



R7P67  
39" Overall Width

### DIMENSIONS | R7P67 | RC7P67

Width	35.5	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	48	Seat Height	22.5	Weight	262.2 lbs.
COM (Standard)	7 YDS	COM (Chaise)	8 YDS	Weight Capacity	650 lbs.
Reclined Depth	76	Seat Depth (kick-out)	40	Lift Weight Capacity	400 lbs.
Distance from Wall	20				

### R7P67 MANUAL POWER LIFT TREATMENT RECLINER - FOLD DOWN ARM (RIGHT FACING) - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
9039	9129	9179	9369	9529	9739	9969	10,239	10,629

### RC7P67 MANUAL POWER LIFT TREATMENT RECLINER WITH CHAISE - FOLD DOWN ARM (RIGHT FACING) - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
9199	9289	9339	9529	9689	9899	10,129	10,399	10,789

\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

Options	List Price	Options	List Price
U Urethane Arm Caps*	Standard	CAL CAL TB133	See page 12
W Wood Arm Caps*	\$199	MBB Moisture Barrier Bariatric Back	\$50
J Solid Surface Arm Caps*	\$499	MBS Moisture Barrier Bariatric Seat	\$50
Z Multi Cover	Use Highest Grade	AHP Adjustable Head Rest Pillow (Requires 1 yd of fabric)	\$299
H Heat (Certified to UL 60601-1)	\$679	FBH Foley Bag Holder	\$79
HM Heat & Massage (Certified to UL 60601-1)	\$899	IV IV Pole and Bracket	\$219
HW Heat Wand (Certified to UL 60601-1)	\$999	DP Dual IV Poles	\$439
HMW Heat & Massage Wand (Certified to UL 60601-1)	\$1199	QR Quick Release Bracket	\$59
EG Edge Guard	Standard	USB Hospital Grade Power	\$399
HC Hinge Cover	Standard	Q4 4" Central Caster Lock & Steer	\$299
		Q5 5" Central Caster Lock & Steer	\$399

\*Please refer to page 14 for finishes.


Please refer to pages 160/161 for Options descriptions & images.

Please refer to page 158 for the recliner ordering guide.




# Rêma | Power Lift Patient Transfer Treatment Recliner - 24" Seat - 650 lb Weight Rating

LIFT RECLINER SERIES



R7P62  
39" Overall Width



## DIMENSIONS | R7P62 | RC7P62

Width	35.5	Seat Width	24	Back Height	26
Depth	38	Seat Depth	21	Arm Height	28
Height	48	Seat Height	22.5	Weight	262.2 lbs.
COM	7 YDS	Seat Depth (kick-out)	40	Weight Capacity	650 lbs.
Reclined Depth	76	Distance from Wall	20	Lift Weight Capacity	400 lbs.

## R7P62 MANUAL POWER LIFT TREATMENT RECLINER - DUAL FOLD DOWN ARMS - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
9439	9529	9579	9759	9919	10,129	10,369	10,629	11,029

## RC7P62 MANUAL POWER LIFT TREATMENT RECLINER WITH CHAISE - DUAL FOLD DOWN ARMS - ORTHOPEDIC LOCKING FOOTREST - INFINITE POSITION LOCKING BACK

COM	4	5	6	7	8	9	10	11
9599	9689	9739	9919	10,079	10,289	10,529	10,789	11,189

\*LiquiCell® not available on chaise recliner models.

Lifted View (Note: 11" is added to the seat height when the chair is fully lifted.)

VERTICAL LIFT EXAM RECLINER

Options	List Price	Options	List Price
U Urethane Arm Caps*	Standard	CAL CAL TB133	See page 12
W Wood Arm Caps*	\$199	MBB Moisture Barrier Bariatric Back	\$50
J Solid Surface Arm Caps*	\$499	MBS Moisture Barrier Bariatric Seat	\$50
Z Multi Cover	Use Highest Grade	AHP Adjustable Head Rest Pillow (Requires 1 yd of fabric)	\$299
HW Heat Wand (Certified to UL 60601-1)	\$999	FBH Foley Bag Holder	\$79
HMW Heat & Massage Wand (Certified to UL 60601-1)	\$1199	DP Dual IV Poles	\$439
EG Edge Guard	Standard	QR Quick Release Bracket	\$59
HC Hinge Cover	Standard	Q4 4" Central Caster Lock & Steer	\$299
USB Hospital Grade Power	\$399	Q5 5" Central Caster Lock & Steer	\$399

\*Please refer to page 14 for finishes.

Please refer to pages 160/161 for Options descriptions & images.


Please refer to page 158 for the recliner ordering guide.



## Koncert | Power & Lift Room Saver™ Recliners - 23" Seat - 350 lb Weight Rating



K1L04  
30.5" Overall Width



Chaise Model  
KC1L04

### DIMENSIONS | K1L04 | KC1L04

Width	30.75	Seat Width	22.5	Back Height	23.5
Depth	34.25	Seat Depth	20	Arm Height	23.75
Height	39.5	Seat Height	17.25	Weight	84
COM (Standard)	4 YDS	COM (Chaise)	5 YDS	Weight Capacity	350 lbs.
Reclined Depth	65.5	Seat Depth (kick-out)	38	Distance from Wall	5

### K1L04 | POWER & LIFT ROOM SAVER™ RECLINER

COM	4	5	6	7	8	9	10	11
2659	2759	2889	3039	3209	3449	3659	3959	4219

### KC1L04 | POWER & LIFT ROOM SAVER™ CHAISE RECLINER

COM	4	5	6	7	8	9	10	11
2879	2989	3119	3269	3439	3679	3879	4179	4449

### Options

### List Price

F	Upholstered Arms	Standard
U	Urethane Arm Caps	\$149*
W	Wood Arm Caps	\$199*
J	Solid Surface Arm Caps	\$499*
Z	Multi-Cover	Use Highest Grade
CAL	CALTB133	See Page 12
MBB	Moisture Barrier Back	\$50
MBS	Moisture Barrier Seat	\$50

\*Please refer to page 14 for finishes.

### Power Recliner Wand




Note: Electrical Cord is Approximately 11' Long

Please refer to page 158 for the recliner ordering guide.




# K-Komfort | Power & Lift Room Saver™ Recliners - 23" Seat - 350 lb Weight Rating

LIFT RECLINER SERIES



K8L04  
30.5" Overall Width



K8L14  
30.5" Overall Width

## DIMENSIONS | K8L04 | K8L14 | KC8L04 | KC8L14

Width	30.5	Seat Width	22.25	Back Height	21
Depth	35	Seat Depth	21	Arm Height	24.5
Height	39.5	Seat Height	18.5	Weight	120
COM	4.5 YDS	Seat Depth (kick-out)	38	Weight Capacity	350 lbs.
Reclined Depth	65.5	Distance from Wall	5		

### K8L04 ROOM SAVER™ POWER & LIFT RECLINER

COM	4	5	6	7	8	9	10	11
2489	2589	2689	2809	2959	3139	3329	3569	3799

### KC8L04 ROOM SAVER™ POWER & LIFT CHAISE RECLINER

COM	4	5	6	7	8	9	10	11
2719	2809	2909	3039	3179	3369	3549	3799	4029

### K8L14 ROOM SAVER™ POWER & LIFT RECLINER

COM	4	5	6	7	8	9	10	11
2419	2499	2599	2749	2889	3039	3209	3449	3719

### KC8L14 ROOM SAVER™ POWER & LIFT CHAISE RECLINER

COM	4	5	6	7	8	9	10	11
2649	2729	2819	2979	3119	3269	3439	3679	3939

#### K8L14 Feature Only

Z Multi-Cover

#### List

Use Highest Grade

#### Options

Options		List Price
CAL	CALTB133	See page 12
MBB	Moisture Barrier Back	\$50
MBS	Moisture Barrier Seat	\$50

#### Power & Lift Recliner Wand



Note: Electrical Cord is Approximately 11' Long


Please refer to page 158 for the recliner ordering guide.

POWER & LIFT ROOM SAVER RECLINER





## K-Komfort | Power Room Saver™ Recliners - 23" Seat - 350 lb Weight Rating




K8P04  
30.5" Overall Width

### DIMENSIONS | K8P04 | K8P14

Width	30.5	Seat Width	22.25	Back Height	21
Depth	35	Seat Depth	21	Arm Height	24.5
Height	39.5	Seat Height	18.5	Weight	96
COM	4.5 YDS	Seat Depth (kick-out)	38	Weight Capacity	350 lbs.
Reclined Depth	65.5	Distance from Wall	5		

### K8P04 ROOM SAVER™ POWER RECLINER

COM	4	5	6	7	8	9	10	11
2489	2589	2689	2809	2959	3139	3329	3569	3799



K8P14  
30.5" Overall Width

### KC8P04 ROOM SAVER™ POWER CHAISE RECLINER


COM	4	5	6	7	8	9	10	11
2719	2809	2909	3039	3179	3369	3549	3799	4029

### K8P14 ROOM SAVER™ POWER RECLINER

COM	4	5	6	7	8	9	10	11
2419	2499	2599	2749	2889	3039	3209	3449	3719

### KC8P14 ROOM SAVER™ POWER CHAISE RECLINER

COM	4	5	6	7	8	9	10	11
2649	2729	2819	2979	3119	3269	3439	3679	3939



Chaise Models  
KC8P04 | KC8P14

### K8P14 Feature Only

Z Multi-Cover

### List

Use Highest Grade

### Options

Options	List Price
CAL CALTB133	See page 12
MBB Moisture Barrier Back	\$50
MBS Moisture Barrier Seat	\$50

### Power Recliner Wand




Note: Electrical Cord is Approximately 11' Long


Please refer to page 158 for the recliner ordering guide.



## Koncert | Power Room Saver™ Recliners - 23" Seat - 350 lb Weight Rating



K1P04  
30.75" Overall Width



Chaise Model  
KC1P04

### DIMENSIONS | K1P04 | KC1P04

Width	30.75	Seat Width	22.25	Back Height	23.5
Depth	34.25	Seat Depth	20	Arm Height	23.75
Height	38	Seat Height	17.25	Weight	84
COM (Standard)	4 YDS	COM (Chaise)	5 YDS	Weight Capacity	350 lbs.
Reclined Depth	65.5	Seat Depth (kick-out)	37.75	Distance from Wall	5

### K1P04 ROOM SAVER™ POWER RECLINER - UPH ARMS

COM	4	5	6	7	8	9	10	11
2659	2759	2889	3039	3209	3449	3659	3959	4219

### KC1P04 ROOM SAVER™ CHAISE POWER RECLINER - UPH ARMS

COM	4	5	6	7	8	9	10	11
2879	2989	3119	3269	3439	3679	3879	4179	4449

### Options

		List Price
F	Upholstered Arms	Standard
U	Urethane Arm Caps	\$149*
W	Wood Arm Caps	\$199*
J	Solid Surface Arm Caps	\$499*
Z	Multi-Cover	Use Highest Grade
CAL	CALTB133	See page 12
MBB	Moisture Barrier Back	\$50
MBS	Moisture Barrier Seat	\$50
AHP	Adjustable Headrest Pillow (Requires 1 yd of fabric)	\$299

\*Please refer to page 14 for finishes.

### Power Recliner Wand



Note: Electrical Cord is Approximately 11' Long

Please refer to page 158 for the recliner ordering guide.