

# DURABLE® 550 SERIES



## Series Overview


The Durable® 550 Series is our collection of Rocker Recliners, all featuring the patented Durable® unitized mechanism, which harmonizes motion of the back, footrest, and seat for smooth, full-body movement. Available in both stationary and mobile configurations, as well as patient transfer options, all models in the Durable® 550 Series boast a full flatbed sleep position and a 550 lb weight capacity to make them an exceptional fit for healthcare applications where comfort is key.

## General Product Information

- 550 lb Weight Rating
- Stationary or mobile base allows rocking functionality
- Designed for 24/7 use healthcare environments
- Manually operated recline functionality
- Footrest and back move in harmony when engaged
- Quick removable back & lift up seat for ease of cleaning
- True flatbed sleep position
- Sinuous spring seat and back
- Seat clean-out
- All steel base structure for maximum durability
- Mid-Ottoman Calf Support
- Infinite Position Back reclines to infinite angle positions
- All interior plywood California Carb Compliant/Phase II
- Field replaceable components


## To Order, Specify

- Model Number
- Textile
- Finish
- Options




### Infinite Position Locking Back

Allows patient/caregiver to lock back into any position. Lock lever located outside left (facing) arm on applicable 550 Series models, unless otherwise noted/pictured.



### Rocker Lock Mechanism

Mobile Rocker Recliners feature a pedal on rear of base to lock & unlock rocking motion, allowing easier entry or exit of chair by users.



### Central Lock Caster System

Available on Mobile Rocker Recliners. Controlled by 2-position lever located at front of chair on left (facing) arm.



## Options vary by model, see specific model page for list of available options

Refer to pg 130 for full option details and images

# DURABLE® 550 SERIES

# Healthcare Rocker Recliners | Stationary

## Select Aesthetic Style *(Denotes back & arm design)*



*(Koncert style pictured)*


## Select Functional Style *(Aesthetic style code precedes selected model number below, e.g., RC1127)*

### 1125 Stationary Rocker Recliner - Infinite Position Locking Back

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,109	4,129	4,289	4,439	4,609	4,819	5,069	5,329	5,859	6,189	6,579	

### C1125 Stationary Chaise Rocker Recliner - Infinite Position Locking Back

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,409	4,449	4,579	4,739	4,909	5,109	5,369	5,609	6,119	6,579	6,979	



*Chaise Models*

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E1125   EC1125	32.5	34.25	43.25	23.75	21	18.75	24.5	24.25	36	71	19.5
R1125   RC1125   K1125   KC1125	32.5	39	43.25	23.75	21	18.75	24.5	24.25	36	71	18.5
KM1125   KMC1125	32.5	39	43.25	23.75	21	18.75	24.5	24.5	36	71	18.5

### General Info

COM: 4.7 yds  
 w/ Chaise  
 COM: 5.1 yds  
 Wt Cap: 550 lb  
 Unit Weight: 134 lb

## Available Options

### ARM CAP OPTIONS

*See pg 2 for finishes*

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

### CASTER OPTIONS

*Not applicable on stationary models*

### ADDITIONAL FEATURES & OPTIONS

EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

### PATIENT WELLNESS & COMFORT OPTIONS



ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) <sup>1,2</sup>	849
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	949

*\*Refer to pg 130 for full option details and images\**

<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

**Select Aesthetic Style** (Denotes back & arm design)




**Select Functional Style** (Aesthetic style code precedes selected model number below, e.g., RC1127)

**4125 Stationary Rocker Recliner - Narrow Arms - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,109	4,129	4,289	4,439	4,609	4,819	5,069	5,329	5,859	6,179	6,579	

**C4125 Stationary Rocker Chaise Recliner - Narrow Arms - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,409	4,449	4,579	4,739	4,909	5,109	5,369	5,609	6,119	6,579	6,979	



Chaise Models

**Dimensions**

E4125   EC4125	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
	32	34.25	43.25	23.75	21	18.75	24.5	24.25	36	71	19.5

**General Info**

COM: 4.7 yds  
 w/ Chaise COM: 5.1 yds  
 Wt Cap: 550 lb  
 Unit Weight: 128 lb

**Available Options**

**ARM CAP OPTIONS**

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

**CASTER OPTIONS**

Not applicable on stationary models

**ADDITIONAL FEATURES & OPTIONS**

EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

**PATIENT WELLNESS & COMFORT OPTIONS**

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) <sup>1,2</sup>	849
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	949

\*Refer to pg 130 for full option details and images\*

<sup>1</sup>Includes QR bracket connection installed on recliner



<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.



# DURABLE® 550 SERIES

# Healthcare Rocker Recliners | Stationary

## Select Aesthetic Style (Denotes back & arm design)



(Rema style pictured)


## Select Functional Style (Aesthetic style code precedes selected model number below, e.g., RC1127)

### 1125R **Stationary Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,109	5,199	5,209	5,339	5,499	5,619	5,899	6,059	6,339	6,659	6,879	

### C1125R **Stationary Chaise Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,459	5,599	5,639	5,729	5,919	6,139	6,339	6,549	6,789	7,059	7,269	



Chaise Models

**NOTE:** Transfer arm standard on right side (facing). Replace "R" with "L" in model number to specify on left side, handle will be placed on right side and vice versa.

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E1125R   EC1125R   E1125L   EC1125L	32.5	34.25	43.25	23.75	21	18.75	24.5	24.25	36	71	19.5
R1125R   RC1125R   R1125L   RC1125L	32.5	39	43.25	23.75	21	18.75	24.5	24.25	36	71	18.5
KM1125R   KMC1125R   KM1125L   KMC1125L	32.5	39	43.25	23.75	21	18.75	24.5	24.5	36	71	18.5

General Info	
COM:	4.9 yds
w/ Chaise COM:	5.2 yds
Wt Cap:	550 lb
Unit Weight:	134 lb

## Available Options

### ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	Standard
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819

### CASTER OPTIONS

Not applicable on stationary models

### ADDITIONAL FEATURES & OPTIONS

EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

### PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
ML	Monitor Arm (left side facing) <sup>1,2</sup>	849
MTL	Monitor Arm with Tray (left side facing) <sup>1,2</sup>	949

\*Refer to pg 130 for full option details and images\*

<sup>1</sup>Includes QR bracket connection installed on recliner



<sup>2</sup>Standard on left side (facing). Replace "L" with "R" for right side (facing) option when specifying left side fold down arm.



# DURABLE® 550 SERIES

# Healthcare Rocker Recliners | Mobile

## Select Aesthetic Style *(Denotes back & arm design)*



*(Koncert style pictured)*


## Select Functional Style *(Aesthetic style code precedes selected model number below, e.g., RC1127)*

### 1127 Mobile Rocker Recliner - Infinite Position Locking Back

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,489	4,549	4,689	4,869	5,119	5,369	5,659	5,949	6,619	6,969	7,359

### C1127 Mobile Chaise Rocker Recliner - Infinite Position Locking Back

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,789	4,859	4,999	5,149	5,439	5,649	5,969	6,219	6,879	7,239	7,629



*Chaise Models*

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E1127   EC1127	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20
R1127   RC1127   K1127   KC1127	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20
KM1127   KMC1127	32.5	38	44	23.75	21.5	19.75	24.5	25.25	37.5	72.5	20

**General Info**

COM: 4.7 yds  
w/ Chaise COM: 5.1 yds

Wt Cap: 550 lb  
Unit Weight: 156 lb

## Available Options

<p><b>ARM CAP OPTIONS</b> <i>See pg 2 for finishes</i></p> <p>U Urethane 209</p> <p>J1 Solid Surface - Group 1 619</p> <p>J2 Solid Surface - Group 2 819</p> <p>F Fully Upholstered Arms Standard</p> <p><b>CASTER OPTIONS</b></p> <p>3S1R3 3" - (3) Swivel/(1) Rigid Locking Casters Standard</p> <p>3S4 3" - (4) Swivel Locking Casters 19</p> <p>Q3 3" - Dual Wheel Central Locking System<sup>3</sup> 1649</p> <p><b>ADDITIONAL FEATURES &amp; OPTIONS</b></p> <p>PB Push Bar Standard</p> <p>EG Protective Edge Guard Standard</p> <p>QR Additional Quick Release Accessory Bracket 69</p> <p>CAL CAL TB133 See pg 9</p> <p>Z Multi Cover Use Pricing for Highest Grade</p>	<p><b>PATIENT WELLNESS &amp; COMFORT OPTIONS</b></p> <p>ABP Adjustable Back Pad (COM 1.75 yds) Textile Grades COM-B 459 Textile Grades C-I 569</p> <p>AHP Adjustable Head Rest Pillow (COM 1 yd) 339</p> <p>FBH Foley Bag Holder 89</p> <p>MBB Moisture Barrier (Back) 59</p> <p>MBS Moisture Barrier (Seat) 59</p> <p>MR Monitor Arm (right side facing)<sup>1,2</sup> 849</p> <p>MTR Monitor Arm with Tray (right side facing)<sup>1,2</sup> 949</p> <p style="text-align: right;"><i>*Refer to pg 130 for full option details and images*</i></p>
--	--



<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

<sup>3</sup>For 4" or 5" central locking casters, please contact customer service.



**Select Aesthetic Style** (Denotes back & arm design)




**Select Functional Style** (Aesthetic style code precedes selected model number below, e.g., RC1127)

**4127 Mobile Rocker Recliner - Narrow Arms - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,489	4,549	4,689	4,869	5,119	5,369	5,659	5,949	6,619	6,969	7,359	

**C4127 Mobile Rocker Chaise Recliner - Narrow Arms - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
4,789	4,859	4,999	5,149	5,439	5,649	5,969	6,219	6,879	7,239	7,629	



Chaise Models

**Dimensions**

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E4127   EC4127	32	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20

**General Info**

COM: 4.7 yds  
 w/ Chaise COM: 5.1 yds  
 Wt Cap: 550 lb  
 Unit Weight: 151 lb

**Available Options**

**ARM CAP OPTIONS**

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

**CASTER OPTIONS**

3S1R3	3" - (3) Swivel/(1) Rigid Locking Casters	Standard
3S4	3" - (4) Swivel Locking Casters	19
Q3	3" - Dual Wheel Central Locking System <sup>3</sup>	1649

**ADDITIONAL FEATURES & OPTIONS**

PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

**PATIENT WELLNESS & COMFORT OPTIONS**

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-1	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) <sup>1,2</sup>	849
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	949

\*Refer to pg 130 for full option details and images\*

<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.



<sup>3</sup>For 4" or 5" central locking casters, please contact customer service.



# DURABLE® 550 SERIES

# Healthcare Rocker Recliners | Mobile

## Select Aesthetic Style (Denotes back & arm design)



(Rema style pictured)


## Select Functional Style (Aesthetic style code precedes selected model number below, e.g., RC1127)

### 1127R Mobile Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,389	5,459	5,479	5,609	5,739	5,889	6,149	6,289	6,579	7,159	7,389

### C1127R Mobile Chaise Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,729	5,879	5,919	5,999	6,169	6,399	6,599	6,789	7,039	7,459	7,659



Chaise Models

**NOTE:** Transfer arm standard on right side (facing). Replace "R" with "L" in model number to specify on left side, handle will be placed on right side and vice versa.

## Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E1127R   EC1127R   E1127L   EC1127L	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20
R1127R   RC1127R   R1127L   RC1127L	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20
KM1127R   KMC1127R   KM1127L   KMC1127L	32.5	38	44	23.75	21.5	19.75	24.5	25.25	37.5	72.5	20

**General Info**

COM: 4.9 yds  
w/ Chaise COM: 5.2 yds

Wt Cap: 550 lb  
Unit Weight: 156 lb


## Available Options

ARM CAP OPTIONS			See pg 2 for finishes			PATIENT WELLNESS & COMFORT OPTIONS		
U	Urethane	Standard	ABP	Adjustable Back Pad (COM 1.75 yds)				
J1	Solid Surface - Group 1	619		Textile Grades COM-B	459			
J2	Solid Surface - Group 2	819		Textile Grades C-I	569			
<b>CASTER OPTIONS</b>			AHP	Adjustable Head Rest Pillow (COM 1 yd)	339			
3S1R3	3" - (3) Swivel/(1) Rigid Locking Casters	Standard	FBH	Foley Bag Holder	89			
3S4	3" - (4) Swivel Locking Casters	19	MBB	Moisture Barrier (Back)	59			
Q3	3" - Dual Wheel Central Locking System <sup>3</sup>	1649	MBS	Moisture Barrier (Seat)	59			
<b>ADDITIONAL FEATURES &amp; OPTIONS</b>			ML	Monitor Arm (left side facing) <sup>1,2</sup>	849			
PB	Push Bar	Standard	MTL	Monitor Arm with Tray (left side facing) <sup>1,2</sup>	949			
EG	Protective Edge Guard	Standard	*Refer to pg 130 for full option details and images*					
QR	Additional Quick Release Accessory Bracket	69						
CAL	CAL TB133	See pg 9						
Z	Multi Cover	Use Pricing for Highest Grade						

<sup>1</sup>Includes QR bracket connection installed on recliner  
<sup>2</sup>Standard on left side (facing). Replace "L" with "R" for right side (facing) option when specifying left side fold down arm.  
<sup>3</sup>For 4" or 5" central locking casters, please contact customer service.



**Select Aesthetic Style** (Denotes back & arm design)



(Koncert style pictured)


**Select Functional Style** (Aesthetic style code precedes selected model number below, e.g., RC1127)

**2125 Stationary Wingback Rocker Recliner - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,079	5,149	5,209	5,349	5,539	5,699	5,969	6,169	6,519	6,959	7,229	

**C2125 Stationary Chaise Wingback Rocker Recliner - Infinite Position Locking Back**

COM	Dillon	Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,379	5,399	5,499	5,659	5,829	5,989	6,259	6,449	6,769	7,339	7,629	



Chaise Models

**Dimensions**

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E2125   EC2125	32.5	34.25	43.25	23.75	21	18.75	24.5	24.25	36	71	19.5

**General Info**

COM: 5.2 yds  
 w/ Chaise  
 COM: 5.5 yds  
 Wt Cap: 550 lb  
 Unit Weight: 139 lb

**Available Options**

**ARM CAP OPTIONS**

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

**CASTER OPTIONS**

Not applicable on stationary models

**ADDITIONAL FEATURES & OPTIONS**

EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

**PATIENT WELLNESS & COMFORT OPTIONS**

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) <sup>1,2</sup>	849
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	949

\*Refer to pg 130 for full option details and images\*



<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.



**Select Aesthetic Style** (Denotes back & arm design)

**E** EV Wingback



(Rema style pictured)


**Select Functional Style** (Aesthetic style code precedes selected model number below, e.g., RC1127)

**2125R Stationary Wingback Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
6,079	6,149	6,209	6,259	6,429	6,499	6,789	6,899	6,999	7,429	7,539

**C2125R Stationary Chaise Wingback Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
6,429	6,549	6,559	6,649	6,839	7,019	7,239	7,379	7,449	7,819	7,929



Chaise Models

**NOTE:** Transfer arm standard on right side (facing). Replace "R" with "L" in model number to specify on left side, handle will be placed on right side and vice versa.

**Dimensions**

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E2125R   EC2125R   E2125L   EC2125L	32.5	34.25	43.25	23.75	21	18.75	24.5	24.25	36	71	19.5

**General Info**

COM: 5.4 yds  
 w/ Chaise COM: 5.7 yds  
 Wt Cap: 550 lb  
 Unit Weight: 139 lb

**Available Options**

**ARM CAP OPTIONS**

See pg 2 for finishes

U	Urethane	Standard
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819

**CASTER OPTIONS**

Not applicable on stationary models

**ADDITIONAL FEATURES & OPTIONS**

EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

**PATIENT WELLNESS & COMFORT OPTIONS**

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
ML	Monitor Arm (left side facing) <sup>1,2</sup>	849
MTL	Monitor Arm with Tray (left side facing) <sup>1,2</sup>	949



\*Refer to pg 130 for full option details and images\*

<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on left side (facing). Replace "L" with "R" for right side (facing) option when specifying left side fold down arm.



**Select Aesthetic Style** (Denotes back & arm design)




**Select Functional Style** (Aesthetic style code precedes selected model number below, e.g., RC1127)

**2127 Mobile Wingback Rocker Recliner - Infinite Position Locking Back**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,459	5,499	5,609	5,779	6,049	6,239	6,559	6,779	7,269	7,729	8,019

**C2127 Mobile Chaise Wingback Rocker Recliner - Infinite Position Locking Back**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
5,759	5,799	5,919	6,069	6,359	6,529	6,859	7,059	7,539	8,009	8,279



Chaise Models

**Dimensions**

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E2127   EC2127	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20

**General Info**

COM: 5.2 yds  
w/ Chaise COM: 5.5 yds  
Wt Cap: 550 lb  
Unit Weight: 161 lb

**Available Options**

**ARM CAP OPTIONS**

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

**CASTER OPTIONS**

3S1R3	3" - (3) Swivel/(1) Rigid Locking Casters	Standard
3S4	3" - (4) Swivel Locking Casters	19
Q3	3" - Dual Wheel Central Locking System <sup>3</sup>	1649

**ADDITIONAL FEATURES & OPTIONS**

PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
CAL	CAL TB133	See pg 9
Z	Multi Cover	Use Pricing for Highest Grade

**PATIENT WELLNESS & COMFORT OPTIONS**

ABP	Adjustable Back Pad (COM 1.75 yds)	
	Textile Grades COM-B	459
	Textile Grades C-I	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
FBH	Foley Bag Holder	89
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) <sup>1,2</sup>	849
MTR	Monitor Arm with Tray (right side facing) <sup>1,2</sup>	949

\*Refer to pg 130 for full option details and images\*


<sup>1</sup>Includes QR bracket connection installed on recliner

<sup>2</sup>Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

<sup>3</sup>For 4" or 5" central locking casters, please contact customer service.



Select Aesthetic Style (Denotes back & arm design)




Select Functional Style (Aesthetic style code precedes selected model number below, e.g., RC1127)

**2127R Mobile Wingback Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
6,349	6,409	6,469	6,529	6,669	6,759	7,049	7,129	7,229	7,929	8,049

**C2127R Mobile Chaise Wingback Rocker Recliner - Infinite Position Locking Back - Right Facing Fold Down Arm**

COM	Dillon/Carson	A <sub>5</sub>	B <sub>6</sub>	C <sub>7</sub>	D <sub>8</sub>	E <sub>9</sub>	F <sub>10</sub>	G <sub>11</sub>	H <sub>12</sub>	I <sub>13</sub>
6,699	6,819	6,829	6,919	7,099	7,269	7,499	7,629	7,689	8,219	8,309



Chaise Models

**NOTE:** Transfer arm standard on right side (facing). Replace "R" with "L" in model number to specify on left side, handle will be placed on right side and vice versa.

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
E2127R   EC2127R   E2127L   EC2127L	32.5	38	44	23.75	21.5	19.75	24.5	25	37.5	72.5	20

**General Info**

COM: 5.4 yds  
w/ Chaise COM: 5.7 yds

Wt Cap: 550 lb  
Unit Weight: 161 lb

Available Options

ARM CAP OPTIONS			See pg 2 for finishes			PATIENT WELLNESS & COMFORT OPTIONS		
U	Urethane	Standard				ABP	Adjustable Back Pad (COM 1.75 yds)	
J1	Solid Surface - Group 1	619					Textile Grades COM-B	459
J2	Solid Surface - Group 2	819					Textile Grades C-I	569
<b>CASTER OPTIONS</b>						AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
3S1R3	3" - (3) Swivel/(1) Rigid Locking Casters	Standard				FBH	Foley Bag Holder	89
3S4	3" - (4) Swivel Locking Casters	19				MBB	Moisture Barrier (Back)	59
Q3	3" - Dual Wheel Central Locking System <sup>3</sup>	1649				MBS	Moisture Barrier (Seat)	59
<b>ADDITIONAL FEATURES &amp; OPTIONS</b>						ML	Monitor Arm (left side facing) <sup>1,2</sup>	849
PB	Push Bar	Standard				MTL	Monitor Arm with Tray (left side facing) <sup>1,2</sup>	949
EG	Protective Edge Guard	Standard				*Refer to pg 130 for full option details and images*		
QR	Additional Quick Release Accessory Bracket	69						
CAL	CAL TB133	See pg 9						
Z	Multi Cover	Use Pricing for Highest Grade						

<sup>1</sup>Includes QR bracket connection installed on recliner  
<sup>2</sup>Standard on left side (facing). Replace "L" with "R" for right side (facing) option when specifying left side fold down arm.  
<sup>3</sup>For 4" or 5" central locking casters, please contact customer service.

