

DURABLE® EXAM LIFT SERIES




Series Overview

The Exam Lift Series is engineered with threefold functionality as a recliner, exam surface, and sleep space (with true flatbed position). Exam Lift Series recliners raise to a 36" exam height in all positions, while providing trusted comfort, performance, and durability. For enhanced safety, a central locking caster system is standard on all models to secure the chair when the user is elevated, and a locking leg support mechanism prevents the footrest from lowering unintentionally.

General Product Information

- 650 lb Static / 500 lb Dynamic Weight Rating
- Designed for 24/7 use healthcare environments
- Raises to exam height via non-handed power foot pedal
- Power or manually operated recline functionality
- Footrest and back move in harmony when engaged
- Quick removable back & lift up seat for ease of cleaning
- Standard with Chaise Continuous Leg Support and Trendelenburg features
- Standard with Orthopedic Locking Footrest
- Sinuous spring seat and back
- All steel base structure for maximum durability
- Seat clean-out
- Mid-Ottoman Calf Support
- Infinite Position Back reclines to infinite angle positions
- All interior plywood California Carb Compliant/Phase II
- Field replaceable components



Infinite Position Locking Back


Allows patient/caregiver to lock back into any position. Lock lever located inside left (facing) arm on applicable models, unless otherwise noted/pictured. (manual recline models)

To Order, Specify

- Model Number
- Textile
- Finish
- Options

POWER CONTROL WAND (ZG EXAM LIFT MODELS ONLY)

Cord pass through bezel placement is standard on outside of left (facing) arm. If single left (facing) transfer arm or single left side (facing) folding side tray specified, wand located on right side (facing). Wand connects magnetically to metal connector plate on outside of arm when not in use.



Connector Plate Placement:

**Plate & wand pass through bezel always located on same side

Stationary Arm without Folding Side Tray - side of arm, upper center

Stationary Arm with Folding Side Tray on both sides - side of arm, towards back

Dual Transfer Arms - side of arm, towards back



Options vary by model, see specific model page for list of available options

Refer to pg 130 for full option details and images

DURABLE® EXAM LIFT SERIES

ZG Exam Lift Power Healthcare Recliner

Select Aesthetic Style *(Denotes back & arm design)*




(Konkert style pictured)

Functional Style *(Aesthetic style code precedes selected model number below, e.g., KCZX67)*


CZX17 ZG Exam Lift Power Healthcare Recliner

COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
16,649	16,909	17,039	17,449	17,719	17,979	18,259	18,789	19,329	19,859	20,269


Standard Features




Chaise Continuous Leg Support




Recline Functions Operated by Intuitive Control Wand*



3" Dual Wheel Central Locking Caster System



Weightless Zero Gravity Position via Wand Preset



Raise to Exam Height via Non-Handed Foot Pedals

*Refer to pg 175 for wand placement location details

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RCZX17 KCZX17	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20
KMCZX17	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20

General Info

COM:	5.7 yds
Static Wt Cap:	650 lb
Dynamic Wt Cap:	500 lb
Unit Weight:	281 lb

Available Options

ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

CASTER OPTIONS

Z-Q3	3" - Dual Wheel Central Locking System	Standard
Z-Q4	4" - Central Locking System <i>Increases seat height by 1".</i>	No Charge
Z-Q5	5" - Central Locking System <i>Increases seat height by 2".</i>	119

HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)

<i>Wand Controls</i>		
HW	Heat	1139
HMW	Heat & Massage	1369
<i>In-Arm Controls</i>		
H	Heat	849
HM	Heat & Massage	1119

ADDITIONAL FEATURES & OPTIONS

BBU	Battery Back Up	649
PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
WH	Control Wand Holder	99
Z	Multi Cover	Use Pricing for Highest Grade

PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad (COM 1.75 yds) Textile Grades COM-B	459
	Textile Grades C-I	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
DP	Dual IV Poles & Brackets ¹	498
FBH	Foley Bag Holder	89
IV	IV Pole & Bracket ¹	249
LC	LiquiCell	229
LCKFR	Orthopedic Locking Footrest ⁶	Standard
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) ^{1,2}	849
MTR	Monitor Arm with Tray (right side facing) ^{1,2}	949
PR1	Paper Roll Holder ³	229
TE	Trendelenburg	Standard
USB	USB Power Outlet (IEC 60601-1 Certified)	459
WR	Wrist Restraint Mounts (pair)	229

TRAY TABLE OPTIONS

TSR1	Adjustable (Right) Side Tray ^{1,2,5}	399	Solid Surface Trays*	
TD3	Dual Adjustable Side Trays (TSR1 & TSL1) ^{1,5}	798	Grp 1	Grp 2
LFSTR	Large Folding (Right) Side Tray ⁴	269	739	959
LFSTRCH	Large Folding Cup Holder (Right) Side Tray	339	849	1099
PLFSTR	Padded Large Folding (Right) Side Tray	379	n/a	n/a
SFSTR	Small Folding (Right) Side Tray ⁴	269	689	889

Refer to pg 130 for full option details and images

*Finishes on pg 2

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.



⁴Contact customer service for solid surface pricing

⁵Over the lap tray function recommended in seated position.

⁶Position is locked in place by motors and can only be adjusted by the control wand.

DURABLE® EXAM LIFT SERIES ZG Exam Lift Power Healthcare Recliner | Patient Transfer

Select Aesthetic Style *(Denotes back & arm design)*



Functional Style *(Aesthetic style code precedes selected model number below, e.g., KCZX67)*


CZX67 ZG Exam Lift Power Healthcare Recliner - Single Fold Down Arm

COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
17,179	17,449	17,579	17,979	18,259	18,519	18,919	19,459	19,989	20,529	21,069

Single Fold Down Arm
(Koncert style pictured)

NOTE: Transfer arm standard on right side (facing). Left side (facing) available, please specify if requested.

Standard Features



Chaise Continuous Leg Support

Recline Functions Operated by Intuitive Control Wand*

3" Dual Wheel Central Locking Caster System

Weightless Zero Gravity Position via Wand Preset

Raise to Exam Height via Non-Handed Foot Pedals

*Refer to pg 175 for wand placement location details

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RCZX67 KCZX67	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20
KMCZX67	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20

General Info

COM: 5.9 yds
Static Wt Cap: 650 lb
Dynamic Wt Cap: 500 lb
Unit Weight: 281 lb

Available Options **Refer to pg 130 for full option details and images**

ARM CAP OPTIONS		See pg 2 for finishes	PATIENT WELLNESS & COMFORT OPTIONS	
U	Urethane	Standard	ABP	Adjustable Back Pad (COM 1.75 yds)
J1	Solid Surface - Group 1	619		Textile Grades COM-B 459
J2	Solid Surface - Group 2	819		Textile Grades C-I 569
CASTER OPTIONS			AHP	Adjustable Head Rest Pillow (COM 1 yd) 339
Z-Q3	3" - Dual Wheel Central Locking System	Standard	DP	Dual IV Poles & Brackets ¹ 498
Z-Q4	4" - Central Locking System	No Charge	FBH	Foley Bag Holder 89
	<i>Increases seat height by 1".</i>		IV	IV Pole & Bracket ¹ 249
Z-Q5	5" - Central Locking System	119	LC	LiquiCell 229
	<i>Increases seat height by 2".</i>		LCKFR	Orthopedic Locking Footrest ⁶ Standard
HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)			MBB	Moisture Barrier (Back) 59
	Wand Controls		MBS	Moisture Barrier (Seat) 59
HW	Heat	1139	MR67	Monitor Arm, on Fold Down Arm ^{1,2} 899
HMW	Heat & Massage	1369	MTR67	Monitor Arm with Tray, on Fold Down Arm ^{1,2} 999
	In-Arm Controls		PR1	Paper Roll Holder ³ 229
H	Heat	849	TE	Trendelenburg Standard
HM	Heat & Massage	1119	USB	USB Power Outlet (IEC 60601-1 Certified) 459
	ADDITIONAL FEATURES & OPTIONS		WR	Wrist Restraint Mounts (pair) 229
BBU	Battery Back Up	649	TRAY TABLE OPTIONS	
PB	Push Bar	Standard	TSL1	Adjustable (Left) Side Tray, on Stationary Arm ^{1,5} 399
EG	Protective Edge Guard	Standard	TSR167	Adjustable (Right) Side Tray, on Fold Down Arm ^{1,2,5} 449
QR	Additional Quick Release Accessory Bracket	69	LFSTR	Large Folding (Right) Side Tray ^{2,4} 269
WH	Control Wand Holder	99	LFSTRCH	Large Folding Cup Holder (Right) Side Tray ² 339
Z	Multi Cover	Use Pricing for Highest Grade	PLFSTR	Padded Large Folding (Right) Side Tray ² 379
			SFSTR	Small Folding (Right) Side Tray ^{2,4} 269
			FOLD DOWN TRANSFER ARM SPECIFIC	
			HC	Hinge Cover Standard

*Finishes on pg 2

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.



⁴Contact customer service for solid surface pricing

⁵Over the lap tray function recommended in seated position.

⁶Position is locked in place by motors and can only be adjusted by the control wand.

DURABLE® EXAM LIFT SERIES ZG Exam Lift Power Healthcare Recliner | Patient Transfer

Select Aesthetic Style *(Denotes back & arm design)*




Functional Style *(Aesthetic style code precedes selected model number below, e.g., KCZX67)*

CZX62 ZG Exam Lift Power Healthcare Recliner - Dual Fold Down Arms


COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
17,719	17,979	18,119	18,519	18,789	19,049	19,459	20,129	20,669	21,339	22,009

Dual Fold Down Arms
(Koncert style pictured)

Standard Features




Chaise Continuous Leg Support




Recline Functions Operated by Intuitive Control Wand*


*Refer to pg 175 for wand placement location details



3" Dual Wheel Central Locking Caster System



Weightless Zero Gravity Position via Wand Preset



Raise to Exam Height via Non-Handed Foot Pedals

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RCZX62 KCZX62	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20
KMCZX62	34.5	40.5	48.5	24	21	24.5	26	31	40	73	20

General Info

COM:	6.3 yds
Static Wt Cap:	650 lb
Dynamic Wt Cap:	500 lb
Unit Weight:	281 lb

Available Options **Refer to pg 130 for full option details and images**

ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	Standard
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819

CASTER OPTIONS

Z-Q3	3" - Dual Wheel Central Locking System	Standard
Z-Q4	4" - Central Locking System <i>Increases seat height by 1".</i>	No Charge
Z-Q5	5" - Central Locking System <i>Increases seat height by 2".</i>	119

HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)

<i>Wand Controls</i>		
HW	Heat	1139
HMW	Heat & Massage	1369

ADDITIONAL FEATURES & OPTIONS

BBU	Battery Back Up	649
PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
WH	Control Wand Holder	99
Z	Multi Cover	Use Pricing for Highest Grade

PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad (COM 1.75 yds) Textile Grades COM-B	459
	Textile Grades C-I	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
DP	Dual IV Poles & Brackets ¹	498
FBH	Foley Bag Holder	89
IV	IV Pole & Bracket ¹	249
LC	LiquiCell	229
LCKFR	Orthopedic Locking Footrest ⁶	Standard
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR67	Monitor Arm, on Fold Down Arm ^{1,2}	899
MTR67	Monitor Arm with Tray, on Fold Down Arm ^{1,2}	999
PR1	Paper Roll Holder ³	229
TE	Trendelenburg	Standard
USB	USB Power Outlet (IEC 60601-1 Certified)	459
WR	Wrist Restraint Mounts (pair)	229

TRAY TABLE OPTIONS

TD362	Dual Adjustable Side Trays, on Fold Down Arms ^{1,5}	898
TSR167	Adjustable (Right) Side Tray, on Fold Down Arm ^{1,5}	449
TSL167	Adjustable (Left) Side Tray, on Fold Down Arm ^{1,5}	449

FOLD DOWN TRANSFER ARM SPECIFIC

HC	Hinge Cover	Standard
----	-------------	----------

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.

⁴Contact customer service for solid surface pricing



⁵Over the lap tray function recommended in seated position.

⁶Position is locked in place by motors and can only be adjusted by the control wand.

DURABLE® EXAM LIFT SERIES

Exam Lift Healthcare Recliner

Select Aesthetic Style *(Denotes back & arm design)*




(Koncert style pictured)

Functional Style *(Aesthetic style code precedes selected model number below, e.g., KC7X67)*

C7X18 Exam Lift Recliner - Infinite Position Locking Back

COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
14,149	14,299	14,469	14,639	14,779	14,999	15,119	15,249	15,609	15,909	16,309

Standard Features



Chaise Continuous Leg Support

Raise to Exam Height via Non-Handed Foot Pedals

3" Dual Wheel Central Locking Caster System

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RC7X18 KC7X18	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20
KMC7X18	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20

General Info

COM:	5.3 yds
Static Wt Cap:	650 lb
Dynamic Wt Cap:	500 lb
Unit Weight:	263 lb

Available Options

ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	209
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819
F	Fully Upholstered Arms	Standard

CASTER OPTIONS

Z-Q3	3" - Dual Wheel Central Locking System	Standard
Z-Q4	4" - Central Locking System <i>Increases seat height by 1".</i>	No Charge
Z-Q5	5" - Central Locking System <i>Increases seat height by 2".</i>	119

HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)

<i>Wand Controls</i>		
HW	Heat	1139
HMW	Heat & Massage	1369
<i>In-Arm Controls</i>		
H	Heat	849
HM	Heat & Massage	1119

ADDITIONAL FEATURES & OPTIONS

BBU	Battery Back Up	649
PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
Z	Multi Cover	Use Pricing for Highest Grade

PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad (COM 1.75 yds) Textile Grades COM-B	459
	Textile Grades C-I	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
DP	Dual IV Poles & Brackets ¹	498
FBH	Foley Bag Holder	89
IV	IV Pole & Bracket ¹	249
LC	LiquiCell	229
LCKFR	Orthopedic Locking Footrest	Standard
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR	Monitor Arm (right side facing) ^{1,2}	849
MTR	Monitor Arm with Tray (right side facing) ^{1,2}	949
PR1	Paper Roll Holder ³	229
TE	Trendelenburg	Standard
USB	USB Power Outlet (IEC 60601-1 Certified)	459
WR	Wrist Restraint Mounts (pair)	229

TRAY TABLE OPTIONS

TSR1	Adjustable (Right) Side Tray ^{1,2,5}	399	Solid Surface Trays*	
TD3	Dual Adjustable Side Trays (TSR1 & TSL1) ^{1,5}	798	Grp 1	Grp 2
LFSTR	Large Folding (Right) Side Tray ⁴	269	739	959
LFSTRCH	Large Folding Cup Holder (Right) Side Tray	339	849	1099
PLFSTR	Padded Large Folding (Right) Side Tray	379	n/a	n/a
SFSTR	Small Folding (Right) Side Tray ⁴	269	689	889

Refer to pg 130 for full option details and images

*Finishes on pg 2

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.

⁴Contact customer service for solid surface pricing



⁵Over the lap tray function recommended in seated position.



DURABLE® EXAM LIFT SERIES

Exam Lift Healthcare Recliner | Patient Transfer

Select Aesthetic Style *(Denotes back & arm design)*




Functional Style *(Aesthetic style code precedes selected model number below, e.g., KC7X67)*

C7X67 Exam Lift Recliner - Infinite Position Locking Back - Single Fold Down Arm

COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
14,789	15,009	15,269	15,479	15,709	15,849	16,059	16,259	16,509	16,739	17,109

Single Fold Down Arm
(Koncert style pictured)

Standard Features



Chaise Continuous Leg Support

Raise to Exam Height via Non-Handed Foot Pedals

3" Dual Wheel Central Locking Caster System

NOTE: Transfer arm standard on right side (facing). If specified on left side, handle will be placed on right side and vice versa.

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RC7X67 KC7X67	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20
KMC7X67	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20

General Info

COM: 5.5 yds
 Static Wt Cap: 650 lb
 Dynamic Wt Cap: 500 lb
 Unit Weight: 263 lb

Available Options

ARM CAP OPTIONS		See pg 2 for finishes	PATIENT WELLNESS & COMFORT OPTIONS	
U	Urethane	Standard	ABP	Adjustable Back Pad (COM 1.75 yds)
J1	Solid Surface - Group 1	619		Textile Grades COM-B 459
J2	Solid Surface - Group 2	819		Textile Grades C-I 569
CASTER OPTIONS			AHP	Adjustable Head Rest Pillow (COM 1 yd) 339
Z-Q3	3" - Dual Wheel Central Locking System	Standard	DP	Dual IV Poles & Brackets ¹ 498
Z-Q4	4" - Central Locking System	No Charge	FBH	Foley Bag Holder 89
	<i>Increases seat height by 1".</i>		IV	IV Pole & Bracket ¹ 249
Z-Q5	5" - Central Locking System	119	LC	LiquiCell 229
	<i>Increases seat height by 2".</i>		LCKFR	Orthopedic Locking Footrest Standard
HEAT/MESSAGE OPTIONS (IEC 60601-1 CERTIFIED)			MBB	Moisture Barrier (Back) 59
	<i>Wand Controls</i>		MBS	Moisture Barrier (Seat) 59
HW	Heat	1139	MR67	Monitor Arm, on Fold Down Arm ^{1,2} 899
HMW	Heat & Massage	1369	MTR67	Monitor Arm with Tray, on Fold Down Arm ^{1,2} 999
	<i>In-Arm Controls</i>		PR1	Paper Roll Holder ³ 229
H	Heat	849	TE	Trendelenburg Standard
HM	Heat & Massage	1119	USB	USB Power Outlet (IEC 60601-1 Certified) 459
			WR	Wrist Restraint Mounts (pair) 229
ADDITIONAL FEATURES & OPTIONS			TRAY TABLE OPTIONS	
BBU	Battery Back Up	649	TSL1	Adjustable (Left) Side Tray, on Stationary Arm ^{1,5} 399
PB	Push Bar	Standard	TSR167	Adjustable (Right) Side Tray, on Fold Down Arm ^{1,5} 449
EG	Protective Edge Guard	Standard	FOLD DOWN TRANSFER ARM SPECIFIC	
QR	Additional Quick Release Accessory Bracket	69	HC	Hinge Cover Standard
Z	Multi Cover	Use Pricing for Highest Grade	*Refer to pg 130 for full option details and images*	

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.

⁴Contact customer service for solid surface pricing



⁵Over the lap tray function recommended in seated position.



DURABLE® EXAM LIFT SERIES

Exam Lift Healthcare Recliner | Patient Transfer

Select Aesthetic Style *(Denotes back & arm design)*




Dual Fold Down Arms
(Koncert style pictured)

Functional Style *(Aesthetic style code precedes selected model number below, e.g., KC7X67)*


C7X62 Exam Lift Recliner - Infinite Position Locking Back - Dual Fold Down Arms

COM	Dillon/Carson	A ₅	B ₆	C ₇	D ₈	E ₉	F ₁₀	G ₁₁	H ₁₂	I ₁₃
15,059	15,329	15,499	15,709	15,939	16,159	16,389	16,619	16,989	17,279	17,629


Standard Features




Chaise Continuous
Leg Support



Raise to Exam Height via
Non-Handed Foot Pedals



3" Dual Wheel Central
Locking Caster System



Locking Back Lever
(located on outside arm on
applicable models)

Dimensions

	Overall			Seat			Back H	Arm H	Kick Out Seat D	Recline D	Distance from Wall
	W	D	H	W	D	H					
RC7X62 KC7X62	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20
KMC7X62	34.5	40.5	48.5	24	21	23.5	26	28	40	73	20

General Info

COM:	5.8 yds
Static Wt Cap:	650 lb
Dynamic Wt Cap:	500 lb
Unit Weight:	263 lb

Available Options

ARM CAP OPTIONS

See pg 2 for finishes

U	Urethane	Standard
J1	Solid Surface - Group 1	619
J2	Solid Surface - Group 2	819

CASTER OPTIONS

Z-Q3	3" - Dual Wheel Central Locking System	Standard
Z-Q4	4" - Central Locking System <i>Increases seat height by 1".</i>	No Charge
Z-Q5	5" - Central Locking System <i>Increases seat height by 2".</i>	119

HEAT/MASSAGE OPTIONS (IEC 60601-1 CERTIFIED)

<i>Wand Controls</i>		
HW	Heat	1139
HMW	Heat & Massage	1369

ADDITIONAL FEATURES & OPTIONS

BBU	Battery Back Up	649
PB	Push Bar	Standard
EG	Protective Edge Guard	Standard
QR	Additional Quick Release Accessory Bracket	69
Z	Multi Cover	Use Pricing for Highest Grade

PATIENT WELLNESS & COMFORT OPTIONS

ABP	Adjustable Back Pad (COM 1.75 yds) Textile Grades COM-B	459
	Textile Grades C-I	569
AHP	Adjustable Head Rest Pillow (COM 1 yd)	339
DP	Dual IV Poles & Brackets ¹	498
FBH	Foley Bag Holder	89
IV	IV Pole & Bracket ¹	249
LC	LiquiCell	229
LCKFR	Orthopedic Locking Footrest	Standard
MBB	Moisture Barrier (Back)	59
MBS	Moisture Barrier (Seat)	59
MR67	Monitor Arm, on Fold Down Arm ^{1,2}	899
MTR67	Monitor Arm with Tray, on Fold Down Arm ^{1,2}	999
PR1	Paper Roll Holder ³	229
TE	Trendelenburg	Standard
USB	USB Power Outlet (IEC 60601-1 Certified)	459
WR	Wrist Restraint Mounts (pair)	229

TRAY TABLE OPTIONS

TD362	Dual Adjustable Side Trays, on Fold Down Arms ^{1,5}	898
TSR167	Adjustable (Right) Side Tray, on Fold Down Arm ^{1,5}	449
TSL167	Adjustable (Left) Side Tray, on Fold Down Arm ^{1,5}	449

FOLD DOWN TRANSFER ARM SPECIFIC

HC	Hinge Cover	Standard
----	-------------	----------

Refer to pg 130 for full option details and images

¹Includes QR bracket connection installed on recliner

²Standard on right side (facing). Replace "R" with "L" for left side (facing) option where available.

³Takes place of Push Bar. Paper sold separately.

⁴Contact customer service for solid surface pricing

⁵Over the lap tray function recommended in seated position.